

Drs. Norman, Tiffney, Digby, Wickett & Mawdsley

The Avenue Surgery
1 The Avenue, Cirencester, GL7 1EH

St Peters Road Surgery 1 St Peters Road, Cirencester, GL7 1RF

www.cirencesterhealthgroup.co.uk

SAFE USE OF OPIOID PAIN MEDICATION

Why have I been prescribed an opioid?

- Relief of severe short-term pain (after surgery, injury, or with cancer)
- Less effective for long-term pain such as fibromyalgia or back pain

Important safety information

- May cause drowsiness, constipation, nausea, reduced concentration
- Long-term use can lead to tolerance, dependence, or addiction
- High doses risk overdose and serious breathing problems
- Your prescriber will regularly review your treatment, help balance benefits and risks, and support reducing or stopping opioids if they are no longer helping.

Safe use tips

- Take your medicine exactly as prescribed
- Do not drink alcohol or take sedatives unless agreed with your doctor
- Driving: legal if prescribed, but *never drive if you feel unsafe or drowsy.* You must not drive if your ability is impaired. Check DVLA guidance on driving while taking medicines.
- Store locked and out of children's reach
- To help prevent constipation: drink fluids, keep active, and ask about laxatives if needed

Review and monitoring

- Regular reviews (usually every 3 months)
- Check pain relief, side effects, and safety
- Dose may be reduced or changed over time

Stopping opioids

- **Do not stop suddenly** withdrawal can occur
- Always agree a gradual taper with your GP or pharmacist

When to seek help

- **Contact your GP or pharmacist**: if pain is uncontrolled, side effects troublesome, or you need more tablets than prescribed
- Call NHS 111: if you feel very unwell, confused, or increasingly sleepy
- Call 999: if you have severe breathing problems, chest pain, or collapse

SAFE USE OF OPIOIDS. V1.0 UPDATED SEPT 2025

Further information

- NHS: Opioid painkillers https://www.nhs.uk/medicines/opioid-painkillers/
- Pain Toolkit https://www.paintoolkit.org
- CHG: Pain Patient Information Leaflet https://cirencesterhealthgroup.co.uk/wp-content/uploads/2025/02/Pain-CHG.pdf

If you have further questions:

- Visit: www.cirencesterhealthgroup.co.uk/contact-us and fill out our triage form
- Call us: 01285 653198 or 01285 652122
- **Call NHS 111** if you need urgent medical advice (24/7)
- Call 999 in an emergency

Routine review

Your GP or pharmacist will check your pain relief, side effects, and dose every 3 moths.

Contact GP or pharmacist

Contact if: pain is uncontrolled, side effects troublesome, or you need more tablets sooner than expected.

Call 999

Emergency if: severe breathing problems, chest pain, collapse, or extreme sleepiness.



SAFE USE OF OPIOIDS. V1.0 UPDATED SEPT 2025